

Aircraft Extension Drills

HIGH SPEED STEEL

12" OVERALL LENGTH

SURFACE TREATED



Manufactured to NAS 907 Type C specifications, 135° Split Point, surface treated with jobber flute lengths for drilling holes in hard to reach places. Heavy duty construction for portable or machine drilling in high tensile strength alloy steels.

Packaging: 1/16" thru 19/64" and #1 thru #40, 6 per pack. 5/16" thru 1/2", 3 per pack.

SERIES 1200

135° SPLIT POINT

FRAC SIZES	FLUTE LENGTH	EDP NUMBERS	LIST PRICE
1/16	7/8	1200A104	\$8.40
5/64	1"	1200A105	8.05
3/32	1-1/4	1200A106	8.66
7/64	1-1/2	1200A107	9.00
1/8	1-5/8	1200A108	9.00
9/64	1-3/4	1200A109	9.79
5/32	2"	1200A110	11.05
11/64	2-1/8	1200A111	11.05
3/16	2-5/16	1200A112	11.44
13/64	2-7/16	1200A113	11.96
7/32	2-1/2	1200A114	12.09
15/64	2-5/8	1200A115	12.79
1/4	2-3/4	1200A116	12.92
17/64	2-7/8	1200A117	14.92
9/32	2-15/16	1200A118	15.14

FRAC SIZES	FLUTE LENGTH	EDP NUMBERS	LIST PRICE
19/64	3-1/16	1200A119	\$17.18
5/16	3-3/16	1200A120	17.44
21/64	3-5/16	1200A121	19.31
11/32	3-7/16	1200A122	19.31
23/64	3-1/2	1200A123	21.62
3/8	3-5/8	1200A124	21.62
25/64	3-3/4	1200A125	24.01
13/32	3-7/8	1200A126	24.01
27/64	3-15/16	1200A127	26.97
7/16	4-1/16	1200A128	26.97
29/64	4-3/16	1200A129	29.58
15/32	4-5/16	1200A130	29.58
31/64	4-3/8	1200A131	32.32
1/2	4-1/2	1200A132	32.32

MADE IN USA

SERIES 1280

135° SPLIT POINT

WIRE SIZES	FLUTE LENGTH	EDP NUMBERS	LIST PRICE
1	2-5/8	1280A001	\$15.01
2	2-5/8	1280A002	15.01
3	2-1/2	1280A003	14.01
4	2-1/2	1280A004	14.01
5	2-1/2	1280A005	14.01
6	2-1/2	1280A006	14.01
7	2-7/16	1280A007	14.01
8	2-7/16	1280A008	14.01
9	2-7/16	1280A009	12.75
10	2-7/16	1280A010	12.75
11	2-5/16	1280A011	12.75
12	2-5/16	1280A012	12.75
13	2-5/16	1280A013	12.75
14	2-3/16	1280A014	12.75
15	2-3/16	1280A015	12.75
16	2-3/16	1280A016	12.75
17	2-3/16	1280A017	12.75
18	2-1/8	1280A018	12.75
19	2-1/8	1280A019	12.75
20	2-1/8	1280A020	11.48

WIRE SIZES	FLUTE LENGTH	EDP NUMBERS	LIST PRICE
21	2-1/8	1280A021	\$11.48
22	2"	1280A022	11.48
23	2"	1280A023	11.48
24	2"	1280A024	11.48
25	1-7/8	1280A025	11.48
26	1-7/8	1280A026	11.38
27	1-7/8	1280A027	11.38
28	1-3/4	1280A028	11.38
29	1-3/4	1280A029	11.38
30	1-5/8	1280A030	11.38
31	1-5/8	1280A031	11.48
32	1-5/8	1280A032	11.48
33	1-1/2	1280A033	11.83
34	1-1/2	1280A034	11.83
35	1-1/2	1280A035	11.83
36	1-7/16	1280A036	11.83
37	1-7/16	1280A037	11.83
38	1-7/16	1280A038	11.83
39	1-3/8	1280A039	11.83
40	1-3/8	1280A040	11.83